

CHARISMA

MY SIGN_MY TRADEMARK



★★★★★
MONOCIBEC®
FINCIBEC GROUP
GRES FINE PORCELLANATO

5 COLORI / COLORS

Dakota
Luxor
Trend
Rocky
Imperial

7 FORMATI / SIZES

120x260 cm (47"x102")
120x120 cm (47"x47")
80x160 cm (31,5"x63")
80x80 cm (31,5"x31,5")
60x120 cm (24"x47")
60x60 cm (24"x24")
30x60 cm (12"x24")



2 SUPERFICI / SURFACES

Naturale_Natural
Lappato_Lapped

1 BORDO / EDGE

Rettificato_Rectified

Rocky_p. 4
Dakota_p.10
Luxor_p.16
Imperial_p. 22
Trend_p.28

DAKOTA

LUXOR

TREND

ROCKY

IMPERIAL

CHARISMA

MY SIGN_MY TRADEMARK

CHARISMA

GRES FINE PORCELLANATO_FINE PORCELAIN STONEWARE

Un contenitore di superfici ceramiche intrise del fascino senza tempo della pietra naturale, interpreti dell'eleganza raffinata richiesta dal design contemporaneo e plasmate in un'ampia varietà di formati, a partire dalla grande lastra FIRE 120x260 cm. Il progetto Charisma nasce dalla ricerca stilistica che Monocibec rivolge agli elementi della natura come fonte di ispirazione inesauribile per lo sviluppo di texture sofisticate e colorazioni esclusive.

È un prodotto versatile, capace di enfatizzare il carattere di qualunque progetto, in contesti residenziali, commerciali e pubblici, attraverso le due finiture in gamma, naturale e lappata. Charisma naturale ricorda i pavimenti in pietra realizzati con tecniche artigianali e mantiene la bellezza primordiale dei materiali

d'ispirazione. Charisma lappata, grazie al particolare effetto ottenuto dal trattamento di lappatura in cresta, presenta una superficie anticata, allo stesso tempo elegante e rustica come di un materiale di pregio reso unico e speciale dal lungo utilizzo. La libertà creativa di progettisti e interior designer trova un alleato prezioso in Charisma, che offre anche interessanti soluzioni decorative dove grafiche geometriche e animalier, realizzate nei colori dominanti della collezione, sono elegantemente abbinate su lastre ceramiche di 60x60 cm. È una proposta di design a 360°, da impiegare per il rivestimento di pavimenti e pareti, e per personalizzare elementi e complementi d'arredo, grazie alle possibilità di trasformazione offerte dalle grandi lastre FIRE.

Ceramic surfaces with the inherent timeless appeal of natural stone and interpreters of the refined elegance sought by contemporary design, shaped in a wide variety of sizes, starting from the 120 x 260 cm FIRE slab. The Charisma project stems from the stylistic research of Monocibec, which sees the elements of nature as an inexhaustible source of inspiration for the development of sophisticated textures and exclusive colours.

Charisma is a versatile product that can emphasise the character of any project in residential, commercial and public areas, available in both natural and lapped finishes. Natural Charisma is reminiscent of stone floors made with artisanal techniques, and retains the primordial beauty of

the materials from which they take inspiration. Lapped Charisma has a particular effect obtained by polishing its ridge, with an antiqued surface that is at the same time elegant and rustic like a precious material, rendered special and unique due to extensive use. The creative freedom of developers and interior designers finds a true ally in Charisma, which also offers interesting decorative solutions where geometric and animal prints in the overarching colours of the collection are elegantly paired on 60 x 60 cm ceramic tiles. Charisma is a design offering at 360 degrees to be used for covering floors and walls in addition to customizing furnishings and accessories, thanks to the transformative possibilities that FIRE slabs offer.



ROCKY

“IT IS LIKE PLUNGING INTO STYLISH VIBES ”




CHARISMA



AMBIENTE REALIZZATO CON
Setting realized with
ROCKY_80X160 CM (31,5"X63") Nat. Rett.
IMPERIAL_120X120 CM (47"X47") Lapp. Rett.
DECORO CHARISMA MIX_60X60 CM (24"X24")



CHARISMA



ROCKY




DAKOTA

“ ELEGANCE FOR ME IS WHERE I’M AT EASE ”



CHARISMA





DAKOTA

CHARISMA





LUXOR

“ SILENCE AND LIGHT, THIS IS MY PLACE ”

CHARISMA





CHARISMA



LUXOR



IMPERIAL

“THINKING BIG IS AN ATTITUDE”

CHARISMA







IMPERIAL

CHARISMA





TREND

“ CHARM ALWAYS TASTES GOOD ”



CHARISMA





CHARISMA



TREND

DAKOTA

LUXOR

CHARISMA

★★★★★
MONOCIBEC®
FINCIBEC GROUP
GRES FINE PORCELLANATO

TREND

ROCKY

IMPERIAL

CHARISMA

GRES FINE PORCELLANATO
FINE PORCELAIN STONEWARE


NATURALE


MOS. 4,7x4,7


NATURALE


NATURALE


NATURALE


NATURALE



LAPPATO

★★★★★
MONOCIBEC®
FINCIBEC GROUP



120x260 cm - 47"x102" / ■193
107703 Dakota nat. rett.
107701 Luxor nat. rett.
107702 Trend nat. rett.
109751 Imperial nat. rett.


120x260 cm - 47"x102" / ■206
107706 Dakota lapp. rett.
107704 Luxor lapp. rett.
107705 Trend lapp. rett.
109752 Imperial nat. rett.



160x320 cm - 63"x126" / ●350
107707 Decoro Romantico
120x260 cm - 47"x102" / ●300
107711 Decoro Romantico




160x320 cm - 63"x126" / ●350
107709 Decoro Graffiti
120x260 cm - 47"x102" / ●300
107712 Decoro Graffiti




80x160 cm - 31,5"x63" / ■155
106645 Dakota nat. rett.
106644 Luxor nat. rett.
106642 Trend nat. rett.
106643 Rocky nat. rett.
106641 Imperial nat. rett.

80x160 cm - 31,5"x63" / ■171
106650 Dakota lapp. rett.
106649 Luxor lapp. rett.
106647 Trend lapp. rett.
106648 Rocky lapp. rett.
106646 Imperial lapp. rett.




120x120 cm - 47"x47" / ■158
107696 Dakota nat. rett.
107695 Luxor nat. rett.
107694 Trend nat. rett.
107693 Imperial nat. rett.

120x120 cm - 47"x47" / ■174
107700 Dakota lapp. rett.
107699 Luxor lapp. rett.
107698 Trend lapp. rett.
107697 Imperial lapp. rett.




60x120 cm - 24"x47" / ■123
107720 Dakota nat. rett.
107719 Luxor nat. rett.
107717 Trend nat. rett.
107718 Rocky nat. rett.
107716 Imperial nat. rett.

60x120 cm - 24"x47" / ■145
107725 Dakota lapp. rett.
107724 Luxor lapp. rett.
107722 Trend lapp. rett.
107723 Rocky lapp. rett.
107721 Imperial lapp. rett.




80x80 cm - 31,5"x31,5" / ■123
107730 Dakota nat. rett.
107729 Luxor nat. rett.
107727 Trend nat. rett.
107728 Rocky nat. rett.
107726 Imperial nat. rett.

80x80 cm - 31,5"x31,5" / ■145
107736 Dakota lapp. rett.
107735 Luxor lapp. rett.
107733 Trend lapp. rett.
107734 Rocky lapp. rett.
107731 Imperial lapp. rett.




60x60 cm - 24"x24" / ■105
107741 Dakota nat. rett.
107740 Luxor nat. rett.
107739 Rocky nat. rett.
107737 Imperial nat. rett.


60x60 cm - 24"x24" / ■129
107746 Dakota lapp. rett.
107745 Luxor lapp. rett.
107744 Rocky lapp. rett.
107742 Imperial lapp. rett.



30x60 cm - 12"x24" / ■89
107751 Dakota nat. rett.
107750 Luxor nat. rett.
107748 Trend nat. rett.
107749 Rocky nat. rett.
107747 Imperial nat. rett.






30x30 cm - 12"x12"
4,7x4,7 mosaico su rete / ■199
107756 Dakota nat. rett.
107755 Luxor nat. rett.
107753 Trend nat. rett.
107754 Rocky nat. rett.
107752 Imperial nat. rett.



60x60 cm - 24"x24" / ■ 119
106834 decoro charisma mix nat.rett.*

* versione decoro con più soggetti, confezionati random - decor version with multiple subjects, packaged randomly

PEZZI SPECIALI Special pieces



IMBALLI Packaging

		120x260	120x120	80x160	80x80	60x120	60x60	30x60
	Pc.	1	2	1	2	2	3	6
	m²	3,12	2,88	1,28	1,28	1,44	1,08	1,08
	kg	54,85	58	30	26,20	29,60	22,50	22,40

		120x260	120x120	80x160	80x80	60x120	60x60	30x60
	Colli Boxes/Boites	20	20	27	40	35	40	48
	Krt. EUR							
	m²	62,4	57,6	28,16	51,2	50,4	43,2	51,84
	m² EUR							
	kg	1198	1160	810	1048	1036	900	1075,2
	kg EUR							

categorie d'impiego
use classes

C1 Piastrelle da pavimento
consigliate per calpestio leggero
Floor tiles recommended for light traffic

C2 Piastrelle da pavimento consigliate
per calpestio medio-leggero
Floor tiles recommended for medium-light traffic

C3 Piastrelle da pavimento
consigliate per calpestio medio
Floor tiles recommended for medium traffic


C4 Piastrelle da pavimento consigliate
per calpestio medio-pesante
Floor tiles recommended for medium-heavy traffic

LAPP.

C5 Piastrelle da pavimento consigliate per
calpestio intenso
Floor tiles recommended for highly stressed uses

NAT.

variazioni cromatiche
colour variations



Note/Notes

VERIFICARE SEMPRE LA CORRETTEZZA DELLE INFORMAZIONI E DEI DATI RELATIVI A CODICI, IMBALLAGGI E PESI, CONSULTANDO IL LISTINO PREZZI IN VIGORE.
ALWAYS REFER TO THE PRICE LIST IN FORCE TO ENSURE CORRECT INFORMATION AND DATA ON CODES, PACKAGING, AND WEIGHT.
I PRODOTTI POSSONO ESSERE MODIFICATI DA FINCIBEC SENZA PREAVVISO, RESPINGENDO OGNI RESPONSABILITÀ SU POSSIBILI DANNI DIRETTI O INDIRETTI CAUSATI DA POTENZIALI MODIFICHE.
FINCIBEC RESERVES THE RIGHT TO MODIFY ITS PRODUCTS WITHOUT PRIOR NOTICE AND CANNOT BE HELD LIABLE FOR DIRECT OR INDIRECT DAMAGE CAUSED BY SUCH MODIFICATIONS.
LE TONALITÀ DEI COLORI RIPORTATE NEL CATALOGO SONO INDICATIVE
THE COLOURS SHADES, REPORTED ON THE CATALOGUE, ARE INDICATIVE

CHARISMA

GRES FINE PORCELLANATO
FINE PORCELAIN STONEWARE



CARATTERISTICHE TECNICHE / GRES FINE PORCELLANATO COLORATO IN MASSA

TECHNICAL SPECIFICATIONS / FULL-BODY COLOURED PORCELAIN STONEWARE - TECHNISCHE EIGENSCHAFTEN / DURCHGEFÄRBTES FEINSTEINZEUG - CARACTÉRISTIQUES TECHNIQUES / GRÈS FIN CÉRAMÉ COLORÉ EN MASSE - CARACTERÍSTICAS TÉCNICAS / GRES FINO PORCELÁNICO TEÑIDO EN MASA - ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ / МЕЛКОЗЕРНИСТЫЙ КЕРАМОГРАНИТ, ОКРАШЕННЫЙ В МАССЕ

STANDARDS : UNI EN 14411 ANNEX G - Bla / UNI EN ISO 13006 ANNEX G - Bla

	CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTÉRISTIQUES TECHNIQUES CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ	TIPO DI PROVA STANDARD OF TEST NORME DU TEST TESTNORM TIPO DE PRUEBA ТИП ТЕСТА	VALORI PRESCRITTI DALLE NORME INTERNATIONAL STANDARDS INTERNATIONALE NORM/VERTE VALEURS PREVUES PAR LES NORMES VALORES PREVISTOS POR LAS NORMAS ПРЕДПОСМОТРЕНЫЕ СТАНДАРТОМ		VALORE MEDIO MONOCIBEC MONOCIBEC AVERAGE VALUE MONOCIBEC MITTELWERT VALEURS MOYEN MONOCIBEC VALOR MEDIO MONOCIBEC СРЕДНЕЕ ЗНАЧЕНИЕ MONOCIBEC	
			REQUIREMENTS FOR NOMINAL SIZE N		NAT	LAPP.
			7 cm ≤ N ≤ 15 cm	N ≥ 15 cm		
	LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН	EN ISO 10545-2	± 0,9 mm	± 0,6% (± 2,0 mm)	CONFORME COMPLYING - ERFÜLLT CONFORME - CONFORME COOTBETCTBYET	
	SPESSORE THICKNESS - DICKE ÉPAISSEUR - ESPESOR ТОЛЩИНА	EN ISO 10545-2	± 0,5 mm	± 5,0% (± 0,5 mm)	CONFORME COMPLYING - ERFÜLLT CONFORME - CONFORME COOTBETCTBYET	
	RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARÊTES - RECTITUD DE LOS CANTOS - КОСОУГОЛЬНОСТЬ	EN ISO 10545-2	± 0,75 mm	± 0,5% (± 1,5 mm)	CONFORME COMPLYING - ERFÜLLT CONFORME - CONFORME COOTBETCTBYET	
	ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИБИЗНА СТОРОН	EN ISO 10545-2	± 0,75 mm	± 0,5% (± 2 mm)	CONFORME COMPLYING - ERFÜLLT CONFORME - CONFORME COOTBETCTBYET	
	PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИБИЗНА ПЛІЩЕВОЇ ПОВЕРХНОСТІ	EN ISO 10545-2	± 0,75 mm	± 0,5% (± 2,0 mm)	CONFORME COMPLYING - ERFÜLLT CONFORME - CONFORME COOTBETCTBYET	
	ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ	EN ISO 10545-3	≤ 0,5 %		≤ 0,1 %	
	RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ	EN ISO 10545-4	S ≥ 1.300 N R ≥ 35 N/mm2.		CONFORME COMPLYING - ERFÜLLT CONFORME - CONFORME COOTBETCTBYET	
	RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCES - RESISTENCIA A LOS GOLPES УДАРОСТОЙКОСТЬ	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE - ANGEGBENER WERT VALEUR DÉCLARÉE - VALOR DECLARADO - ЗАЯВЛЕННОЕ ЗНАЧЕНИЕ		> 0,80	
	RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE - ABRIEBFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN ПРОЧНОСТЬ НА ИСТИРАНИЕ	EN ISO 10545-6	≤ 175 mm ³		CONFORME COMPLYING - ERFÜLLT CONFORME - CONFORME COOTBETCTBYET	
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL EXPANSION - LINEARER WÄRMEAUDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ	EN ISO 10545-8	VALORE DICHIARATO DECLARED VALUE - ANGEGBENER WERT VALEUR DÉCLARÉE - VALOR DECLARADO - ЗАЯВЛЕННОЕ ЗНАЧЕНИЕ		α ≈ 6,7x10 ⁻⁶ /°C°	
	RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCES THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 TEST PASSED ACCORDING TO - TEST BESTANDEN NACH TEXTE DÉPASSÉ SELON - PRUEBA SUPERADA SEGÚN ИСПЫТАНИЕ ПРОИДЕЮ В СООТВЕТСТВИИ С		NESSUN DANNO NO DAMAGE - KEIN SCHADEN AUCUN DOMMAGE - NINGUN DANO БЕЗ ПОВРЕЖДЕНИЙ	
	DILATAZIONE ALL'UMIDITÀ (IN MMM) MOISTURE EXPANSION (IN MMM) - FEUCHTIGKEITSBEDINGTE AUSDEHNUNG (IN MMM) DILATATION À L'HUMIDITÉ (EN MMM) - DILATACIÓN CON LA HUMEDAD (EN MMM) ВЛАЖНОСТНОЕ РАСШИРЕНИЕ (В MMM)	EN ISO 10545-10	VALORE DICHIARATO DECLARED VALUE - ANGEGBENER WERT VALEUR DÉCLARÉE - VALOR DECLARADO - ЗАЯВЛЕННОЕ ЗНАЧЕНИЕ		MAX 0,1 mm / m	
	RESISTENZA AL GELO FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 TEST PASSED ACCORDING TO - TEST BESTANDEN NACH TEXTE DÉPASSÉ SELON - PRUEBA SUPERADA SEGÚN ИСПЫТАНИЕ ПРОИДЕЮ В СООТВЕТСТВИИ С		NESSUN DANNO NO DAMAGE - KEIN SCHADEN AUCUN DOMMAGE - NINGUN DANO БЕЗ ПОВРЕЖДЕНИЙ	
	RESISTENZA AI PRODOTTI CHIMICI USO DOMESTICO E ADDITIVI PER PISCINA RESISTANCE TO HOUSEHOLD AND SWIMMING POOL CHEMICAL PRODUCTS - REBESTÄNDIGKEIT GEGEN HAUSHALTS-CHEMIKALIEN UND ZUSATZSTOFFE FÜR SWIMMINGPOOLS - RESISTANCE AUX PRODUITS CHIMIQUES USAGE DOMESTIQUE ET ADDITIFS POUR PISCINE - RESISTENCIA A LOS PRODUCTOS QUÍMICOS DE USO DOMÉSTICO Y ADITIVOS PARA PISCINA - СТОЙКОСТЬ К ДЕЙСТВИЮ БЫТОВЫХ ХИМИЧЕСКИХ СРЕДСТВ, ДОБАВКАМ В БАССЕЙНЫ	EN ISO 10545-13	B MIN		CONFORME COMPLYING - ERFÜLLT CONFORME - CONFORME COOTBETCTBYET	
	RESISTENZA A BASSE CONCENTRAZIONI DI ACIDI E ALCALI RESISTANCE TO LOW CONCENTRATIONS OF ACIDS AND ALKALI - BESTÄNDIGKEIT BEI NIEDRIGEN KONZENTRATIONEN VON SÄUREN UND LAUGEN - RESISTANCE À BASSES CONCENTRATIONS D'ACIDES ET ALCALIS - RESISTENCIA A BAJAS CONCENTRACIONES DE ÁCIDOS Y ÁLCALIS - СТОЙКОСТЬ К ДЕЙСТВИЮ НИЗКИХ КОНЦЕНТРАЦИЙ КИСЛОТ И ЩЕЛОЧЕЙ	EN ISO 10545-13	VALORE DICHIARATO DECLARED VALUE - ANGEGBENER WERT VALEUR DÉCLARÉE - VALOR DECLARADO - ЗАЯВЛЕННОЕ ЗНАЧЕНИЕ		CONFORME COMPLYING - ERFÜLLT CONFORME - CONFORME COOTBETCTBYET	
	RESISTENZA AD ALTE CONCENTRAZIONI DI ACIDI E ALCALI RESISTANCE TO HIGH CONCENTRATIONS OF ACIDS AND ALKALI - BESTÄNDIGKEIT BEI HOHEN KONZENTRATIONEN VON SÄUREN UND LAUGEN - RESISTANCE À HAUTES CONCENTRATIONS D'ACIDES ET ALCALIS - RESISTENCIA A ALTAS CONCENTRACIONES DE ÁCIDOS Y ÁLCALIS - СТОЙКОСТЬ К ДЕЙСТВИЮ ВЫСОКИХ КОНЦЕНТРАЦИЙ КИСЛОТ И ЩЕЛОЧЕЙ	EN ISO 10545-13	VALORE DICHIARATO DECLARED VALUE - ANGEGBENER WERT VALEUR DÉCLARÉE - VALOR DECLARADO - ЗАЯВЛЕННОЕ ЗНАЧЕНИЕ		CONFORME COMPLYING - ERFÜLLT CONFORME - CONFORME COOTBETCTBYET	
	RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE - ANGEGBENER WERT VALEUR DÉCLARÉE - VALOR DECLARADO - ЗАЯВЛЕННОЕ ЗНАЧЕНИЕ		CONFORME COMPLYING - ERFÜLLT CONFORME - CONFORME COOTBETCTBYET	
	CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE - ANGEGBENER WERT VALEUR DÉCLARÉE - VALOR DECLARADO - ЗАЯВЛЕННОЕ ЗНАЧЕНИЕ		< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT < L'UNMESSBARES WERT < LIMITE DE L'INSTRUMENT < LIMITE DEL INSTRUMENTO < НА ПРЕДЕЛЕ ОПРЕДЕЛИМОСТИ	
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ	DM. 236/89 BCRA	> 0,40		> 0,40	-
		ANSI A 137.1	WET DCOF > 0,42		> 0,42	-
		DIN 51130	-		R9	-
		DIN 51097	-		A+B (MOS.)	-

PER I CERTIFICATI SPECIFICI, E VALORI PUNTUALI, CONTATTARE FINCIBEC SPA - FOR SPECIFIC CERTIFICATES AND DATA, CONTACT FINCIBEC S.P.A - FÜR SPEZIELLE ZERTIFIKATE UND PUNKTWERTE, FINCIBEC S.P.A. KONTAKTIEREN - POUR LES CERTIFICATS SPÉCIFIQUES ET LES VALEURS PONCTUELLES, CONTACTER FINCIBEC S.P.A - PARA LOS CERTIFICADOS ESPECÍFICOS Y LOS VALORES CONCRETOS, CONTACTE CON FINCIBEC S.P.A - ВО ВОПРОСАМ СПЕЦИАЛЬНЫХ СЕРТИФИКАТОВ И ПОКАЗАТЕЛЕЙ ОБРАЖИТЕСЬ С FINCIBEC SPA.

ESCLUSO PEZZI SPECIALI ED ELEMENTI DECORATIVI
WITH THE EXCEPTION OF SPECIAL PIECES AND DECORS



CHARISMA

GRES FINE PORCELLANATO
FINE PORCELAIN STONEWARE



MONOCIBEC

Via Valle d'Aosta, 47 - 41049 - Sassuolo (Mo) Italy

Tel. +39 0536 861300

Fax Italia +39 0536 861400

Fax Export Dept. +39 0536 861450

info@monocibec.it

www.monocibec.it

Fincibec S.p.A.

Sede legale: Via Valle d'Aosta, 47 - 41049 - Sassuolo (Mo) Italy

Gruppo Fire S.R.L.

Fincibec USA Inc.

240 Kent Ave K3/B36 Brooklyn N.Y. 11249 USA

Ph.+1 917-969-4916

info@fincibecusa.com



Fincibec S.p.A socio di:

